

## Water Monitoring Data - Monthly Summary

Month and Year	August 2021								
Project	Sydenham Metro upgrade								
EPL Licence No.	21147								
EPL Weblink	<a href="https://apps.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=21147&amp;id=21147&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued">https://apps.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=21147&amp;id=21147&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued</a>								
Specific EPL monitoring conditions	M2 - Requirement to monitor concentration of pollutants discharged								
Monitoring Location	Number of times monitored during the month	Event based monitoring (Y/N)	Parameter eg. TSS, pH	Unit eg mg/L	Minimum value for month	Maximum value for month	Allowable Maximum limit	Allowable Minimum limit	Comment
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A



## Noise Monitoring Data - Monthly Summary

Month and Year	August 2021	 
Project	Sydenham Metro upgrade	
EPL Licence No.	21147	
EPL Weblink	<a href="https://apps.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=21147&amp;id=21147&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued">https://apps.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=21147&amp;id=21147&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued</a>	
Specific EPL monitoring conditions	M7.1 - Noise monitoring	

Monitoring Location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg. Laeq (15min)	Unit	Min value dB(A) for month	Max value dB(A) for month	Goals / targets dB(A)	Comment
360 Edgeware Rd, Newtown	1	Attended	Y	Laeq	dB(A)	60.9	60.9	68	WK5 local area works
30 Hogan Avenue, Sydenham	2	Attended	Y	Laeq	dB(A)	43.6	56.1	65	WK5 local area works. Sydenham Rd road repairs
133 Meeks Road, Marrickville	1	Attended	Y	Laeq	dB(A)	48.8	48.8	60	WE7 GST install
136 George St, Sydenham	3	Attended	Y	Laeq	dB(A)	51.1	60.3	61	Sydenham Rd road repairs
41 Challis St, Dulwich Hill.	2	Attended	Y	Laeq	dB(A)	51.5	65.8	70	GST works - footing install
1A Marrickville Ave Livingstone Rd bridge	1	Attended	Y	Laeq	dB(A)	59.3	59.3	65	Drilling for Earthing & Bonding cable
6 The Parade, Dulwich Hill	1	Attended	Y	Laeq	dB(A)	54.3	54.3	65	Drilling for Earthing & Bonding cable

## Vibration Monitoring Data - Monthly Summary

Month and Year	August 2021								
Project	Sydenham Metro upgrade								
EPL Licence No.	21147								
EPL Weblink	<a href="https://apps.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=21147&amp;id=21147&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued">https://apps.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=21147&amp;id=21147&amp;option=licence&amp;searchrange=licence&amp;range=POEO%20licence&amp;prp=no&amp;status=Issued</a>								
Specific EPL monitoring conditions	M7.2 - Vibration monitoring								
Monitoring Location	Number of times monitored during the month	Attended or continuous monitoring	Event based monitoring (Y/N)	Parameter eg.PPV	Unit	Minimum value for month	Maximum value for month	Goals/Targets	Comment
N/A									

