

Carolyn Riley
Director Environment, Sustainability and Planning
Sydney Metro
Transport for NSW
PO Box K659
HAYMARKET NSW 1240

13 April 2022

Ref: 170108(h) CEMP Rev16

Dear Carolyn

**RE: Approval of Minor Amendments of Sydenham Metro Upgrade (SMu) CEMP Rev17,
AQMP Rev11, CSWMP Rev14 & CHMP Rev11– Sydney Metro City & Southwest**

Thank you for providing the following documents for Environmental Representative (ER) review and approval of minor amendments as required by Conditions of Approval A24 (d) and (j) of the Sydney Metro City & Southwest project (SSI – 15_7400, 9 January 2017).

- Sydney Metro City & Southwest Construction Environmental Management Plan (CEMP) (SMCSWSSJ-JHL-WSS-EM-PLN-000028 Revision 17 dated 11th March 2022)
- Sydney Metro City & Southwest Air Quality Management Plan (AQMP) (SMCSWSSJ-JHL-WSS-EM-PLN-000030 Revision 11 dated 11th March 2022)
- Sydney Metro City & Southwest Construction Soil and Water Management Plan (CSWMP) (SMCSWSSJ-JHL-WSS-EM-PLN-000033 Revision 14 dated 11th March 2022)
- Sydney Metro City & Southwest Construction Heritage Management Plan (CHMP) (SMCSWSSJ-JHL-WSS-EM-PLN-000034 Revision 11 dated 11th March 2022)

Amendments to the above Plans were only minor and constituted a periodic update including to scheduling and minor changes to risk due to project nearing completion

The amendments are considered to be ‘minor’ according to Condition of Approval A24 (j). The amendments do not trigger any additional CoAs or REMMs and are consistent with the planning approval. No additional significant risks have been identified as a result of the changes.

As an approved ER for the Sydney Metro City & Southwest project, I have reviewed and provided comment on this document and accordingly approve the amendment of the Plans for implementation.

Yours sincerely



Jo Heltborg
Environmental Representative – Sydney Metro – City and South West